



PAMBANSANG PUNONGHIMPILAN TANOD BAYBAYIN NG PILIPINAS
(National Headquarters Philippine Coast Guard)
139 25th Street, Port Area
1018 Manila

SUPPLEMENTAL/BID BULLETIN NO. 03-2023

This Supplemental/Bid Bulletin No. 03-2023 is issued to include the following revisions and/or clarifications on some provisions of the Request for Quotation for the **Restoration of Caliber 7.62mm M-14 Rifles and Repair/Conversion of Unserviceable Caliber 5.56mm M-16 Rifles to Carbine Rifles of the PCG.**

xxx xxx xxx

I. TECHNICAL SPECIFICATIONS

Name of Project: Restoration of Caliber 7.62mm M-14 Rifles and Repair/Conversion of Unserviceable Caliber 5.56mm M-16 Rifles to Carbine Rifles of the PCG

FROM:	TO:
Requirement/s if awarded the contract:	Requirement/s if awarded the contract:
Inspection and Acceptance 3. Conduct of test parameters shall be concluded at the Supplier's facility. In the absence thereof, such suitable facility shall be provided by the Supplier without cost to the PCG. The ammunitions to be used shall be provided by the PCG. • Test parameters: a. Physical Inspection – Individual inspection of every rifles.	Inspection and Acceptance 3. Conduct of test parameters shall be concluded at the Supplier's facility. In the absence thereof, such suitable facility shall be provided by the Supplier without cost to the PCG. The ammunitions to be used shall be provided by the PCG. • Test parameters: a. Physical Inspection – Individual inspection of every rifles.
Procedure: 1. Conduct visual inspection to determine the actual rifles length and other characteristics in relation to the specification set by the PCG; and 2. Must conform with the PCG specifications for Caliber 7.62mm M-	Procedure: 1. Conduct visual inspection to determine the actual rifles length and other characteristics in relation to the specification set by the PCG; and 2. Must conform with the PCG specifications for Caliber 7.62mm M-

<p>14 Rifles (Restored) and Caliber 5.56mm M-16 Rifles (converted to Carbine Rifles).</p> <p>b. Test Firing and Accuracy Test - 20 rounds (All rifles) Purpose: To determine the accuracy of every rifle after the restoration, repair/conversion. Procedure: 1. Every rifle shall be fired at a distance of 200 yards; and 2. Must not exceed the maximum mean radius spread of six inches.</p> <p>Note: 1. The proponent shall have his own firer/shooter; 2. Every rifle shall be allocated with five rounds for zeroing; 3. Fifteen rounds shall be fired and recorded to determine the accuracy; 4. Replacement of parts is not allowed; and 5. Problems encountered during testing shall be decided/deliberated by the TIAC.</p>	<p>14 Rifles (Restored) and Caliber 5.56mm M-16 Rifles (converted to Carbine Rifles).</p> <p>b. Initial Firing Test - 5 rounds (All rifles) Purpose: To determine the reliability, durability and functionality of the rifles after the restoration, repair/conversion. Procedure: 1. Every rifle shall be fired at a distance of 100 meters; 2. Must not fires when set to "SAFE" mode.</p> <p>c. Accuracy Test - 20 rounds (Carbine Rifles) To determine the accuracy of repaired/converted M-16 Rifles to Carbine rifles. Procedure: 1. Every carbine rifle shall be fired at a distance of 100 meters; and 2. Must not exceed the maximum radius spread of twelve inches.</p> <p>Note: 1. The proponent shall have his own firer/shooter; 2. Every rifle shall be allocated with five rounds for zeroing; 3. Fifteen rounds shall be fired and recorded to determine the accuracy; 4. Replacement of parts is not allowed; and 5. Problems encountered during testing shall be decided/deliberated by the TIAC.</p>
<p>Warranty</p> <p>3. The defects liability period for the supplied goods shall be one year from contract completion up to final acceptance by the procuring entity. During this period, the Supplier shall undertake to repair the works at his own expense of any defect, faults,</p>	<p>Warranty</p> <p>3. The defects liability period for the supplied goods shall be one year from contract completion up to final acceptance by the procuring entity. During this period, the Supplier shall undertake to repair the works at his own expense of any defect, faults,</p>

flaws, deficiencies on account of design, materials or workmanship within ninety (90) days from the time the Hope has issued an order to undertake repair. If the Supplier, having been notified, fails to remedy the defect(s) within the period the ninety (90) days period provided the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity.

4. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty security shall be required from the Supplier in the form cash bank, bank guarantee, letter of credit, surety bond callable on demand, in accordance with the following schedule;

Form of warranty	Amount of Warranty Security not less than the Percentage of Total Contract Price
a. Cash or letter or credit issued by Universal Or Commercial bank; provided, however, that the letter of credit shall be confirmed or authenticated by a Universal or Commercial bank, if issued by a foreign bank.	Five Percent (5%)
b. Bank guarantee confirmed by Universal or Commercial bank; provided, however, that the letter of credit shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	Ten Percent (10%)
c. Surety Bond callable upon demand issued by GSIS or any surety or insurance company duly certified by the Insurance Commission	Thirty Percent (30%)

5. The warranty security shall be stated in Philippine Peso and shall remain effective for one year from date of issuance of the Certificate of Final Acceptance by the

flaws, deficiencies on account of design, materials or workmanship within ninety (90) days from the time the Hope has issued an order to undertake repair. If the Supplier, having been notified, fails to remedy the defect(s) within the period the ninety (90) days period provided the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights of the Procuring Entity.

4. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty security shall be required from the Supplier in the form cash bank, bank guarantee, letter of credit, surety bond callable on demand, in accordance with the following schedule;

Form of Security	Amount in Percentage of Total Contract Price
Cash or cashier's/manager's check issued by a Universal or Commercial Bank;	Five Percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank; or	
Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security specifically for the contract awarded.	Thirty Percent (30%)

5. The warranty security shall be stated in Philippine Peso and shall remain effective for one year from date of issuance of the Certificate of Final Acceptance by the Procuring Entity and shall be returned only after the lapse of said one-year period

Procuring Entity and shall be returned only after the lapse of said one-year period provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.

provided, however, that the **supplied goods** delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.

For information and reference. Thank you.


CG COMMO TITO ALVIN G ANDAL
Chairperson, Bids and Awards Committee

Received by the bidders:

Name: _____

Date: _____