



**PAMBANSANG PUNONGHIMPILAN TANOD BAYBAYIN NG PILIPINAS  
(National Headquarters Philippine Coast Guard)**

139 25th Street, Port Area  
1018 Manila

**SUPPLEMENTAL/BID BULLETIN NO. 01-2023**

This Supplemental/Bid Bulletin No. 01-2023 is issued to include the following revisions and/or clarifications on some provisions of the Bidding Documents for the **Supply and Delivery of Various Ammunitions for the PCG**.

xxx xxx xxx

## **Bid Data Sheet**

<b>FROM:</b>		<b>TO:</b>	
<b>ITB Clause</b>		<b>ITB Clause</b>	
20.2	<b>ISO 9001:2015 Certified</b>	20.2	<b>ISO 9001:2015 Certified (Manufacturer)</b>

xxx xxx xxx

## **Technical Specifications**

### **Supply and Delivery of Various Ammunitions for the PCG**

<b>FROM:</b>	<b>TO:</b>
<b>3. Caliber 5.56mm</b> <ul style="list-style-type: none"><li>- Cartridge: 5.56mm</li><li>- Type: M855</li><li>- Cartridge Case: Brass</li><li>- Bullet Style: Full Metal Jacket (FMJ)</li><li>- Dimensions:<ul style="list-style-type: none"><li>a. Cartridge Case Length: 44.45 mm – 44.70 mm</li><li>b. Bullet Diameter: 5.69 mm – 5.70 mm</li><li>c. Bullet Weight: 60.30 grs – 63.30 grs</li><li>d. Total Length: 56.77 mm – 57.40 mm</li></ul></li></ul>	<b>3. Caliber 5.56mm</b> <ul style="list-style-type: none"><li>- Cartridge: 5.56mm</li><li>- Type: M855</li><li>- Cartridge Case: Brass</li><li>- Bullet Style: Full Metal Jacket (FMJ)</li><li>- Dimensions:<ul style="list-style-type: none"><li>e. Cartridge Case Length: 44.45 mm – 44.70 mm</li><li>f. Bullet Diameter: 5.69 mm – 5.70 mm</li><li>g. Bullet Weight: 60.30 grs – 63.30 grs</li><li>h. Total Length: 56.77 mm – 57.40 mm</li></ul></li></ul>

<ul style="list-style-type: none"> <li>- Velocity: 3,020 <math>\pm</math>40 fps at 78 feet from the muzzle</li> <li>- Chamber Pressure: 58,700 psi (max ave.)</li> <li>- Port Pressure: 64,700 psi (max ave.)</li> <li>- <b>Inner Packaging: Vacuum Sealed Carton Box with Ammo Tray (20 rounds per box)</b></li> <li>- Outer Packaging: Corrugated box (1,000 rounds per box)</li> </ul>	<ul style="list-style-type: none"> <li>- Velocity: 3,020 <math>\pm</math>40 fps at 78 feet from the muzzle</li> <li>- Chamber Pressure: 58,700 psi (max ave.)</li> <li>- Port Pressure: 64,700 psi (max ave.)</li> <li>- <b>Inner Packaging: Vacuum Sealed Carton Box (20 rounds per box)</b></li> <li>- Outer Packaging: Corrugated box (1,000 rounds per box)</li> </ul>
<b>Schedule of Delivery</b>	<b>Schedule of Delivery</b>
<ul style="list-style-type: none"> <li>• <b>Within two (2) months or sixty (60) calendar days upon receipt of Notice to Proceed (NTP)</b></li> </ul>	<ul style="list-style-type: none"> <li>• Within two (2) months or sixty (60) calendar days upon receipt of Notice to Proceed (NTP).</li> <li>• <b>One-time delivery of all ammunitions to delivery site.</b></li> </ul>
<b>Post Qualification</b>	<b>Post Qualification</b>
<ul style="list-style-type: none"> <li>• <b>Conduct of following test parameters at the Supplier's facility (Local or Foreign, winning Supplier will shoulder all expenses such as meals, lodging and travel expenses)</b></li> <li>• <b>Firearms to be used during the conduct of test parameters will be provided by the PCG.</b></li> <li>• Test parameters: <ul style="list-style-type: none"> <li>a. Physical Inspection – 10 rounds per type of ammunition.</li> <li>b. Test Firing – 50 rounds per type of ammunition</li> <li>c. Accuracy Test – 25 rounds per type of ammunition <ul style="list-style-type: none"> <li>• Cal 9mm (1.5" max. mean radius at 25 yards)</li> <li>• Cal .45 (1.5" max. mean radius at 25 yards)</li> <li>• Cal 5.56mm (1.8" max. mean radius at 200 yards),</li> </ul> </li> <li>d. Chamber Pressure Test – 5 rounds per type of ammunition. <ul style="list-style-type: none"> <li>• Cal 9mm (35, 000 psi max average)</li> </ul> </li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• <b>Conduct of test parameters shall be concluded at the Supplier's facility. In the absence thereof, such suitable facility shall be provided by the Supplier without cost to the PCG including tools/equipment necessary for the accuracy and pressure chamber test.</b></li> <li>• <b>Firearms to be used during the conduct of test parameters will be provided by the PCG.</b></li> <li>• <b>Ammunitions used during the test parameters shall come from a representative sample of the procured ammunitions which shall be replaced by the Supplier and included to the total rounds to be delivered.</b></li> <li>• Test parameters: <ul style="list-style-type: none"> <li>a. Physical Inspection – 10 rounds per type of ammunition.</li> <li>b. Test Firing – 50 rounds per type of ammunition</li> <li>c. Accuracy Test – 25 rounds per type of ammunition</li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• Cal .45 (21, 000 psi max average)</li> <li>• Cal 5.56mm (58,700 psi max average)</li> </ul>	<ul style="list-style-type: none"> <li>• Cal 9mm (1.5" max. mean radius at 25 yards)</li> <li>• Cal .45 (1.5" max. mean radius at 25 yards)</li> <li>• Cal 5.56mm (1.8" max. mean radius at 200 yards)</li> </ul> <p>d. Chamber Pressure Test – 5 rounds per type of ammunition</p> <ul style="list-style-type: none"> <li>• Cal 9mm (35, 000 psi max average)</li> <li>• Cal .45 (21, 000 psi max average)</li> <li>• Cal 5.56mm (58,700 psi max average)</li> </ul>
<b>Pre-Delivery Inspection (PDI)</b>	<b>Pre-Delivery Inspection (PDI)</b>
<ul style="list-style-type: none"> <li>• The TIAC, End-User and CGSAO shall conduct PDI- Quantitative Inspection, at the facility of the winning Supplier at least 7 days prior actual delivery <b>per tranche.</b></li> </ul>	<ul style="list-style-type: none"> <li>• <b>The TIAC, End-User and CGSAO shall conduct PDI- Quantitative Inspection, at the facility of the winning Supplier at least 7 days prior actual delivery.</b></li> </ul>
<b>Other Required Documents during Opening of Bid</b>	<b>Other Required Documents during Opening of Bid</b>
<b>1) ISO 9001:2015 Certified</b>	<b>1) ISO 9001:2015 Certified (Manufacturer)</b>
2) License to Deal or Operate issued by PNP	2) License to Deal or Operate issued by PNP
3) Certificate of Distributorship	3) Certificate of Distributorship
4) Brochures of each ammunition	4) Brochures of each ammunition

For information and reference. Thank you.

  
**CG COMMO TITO ALVIN G ANDAL**  
 Chairperson, Bids and Awards Committee

Received by the bidders:

Name: \_\_\_\_\_

Date: \_\_\_\_\_