

### Philippine Coast Guard

# HEADQUARTERS COAST GUARD HUMAN RESOURCE MANAGEMENT COMMAND Bids and Awards Committee

#56 Manuel L. Quezon St., Purok 1, New Lower Bicutan Taguig City

### **SUPPLEMENTAL / BID BULLETIN NO. 01-2024**

This Supplemental/Bid Bulletin No. 02-2023 is issued to include the following amendments and clarifications as integral part of the Request for Quotation issued for the **Supply and Delivery of ICT Equipment for CGHRMC and Its Support Units for FY 2024.** 

## I. <u>TECHNICAL SPECIFICATIONS</u>

Name of Project: Supply and Delivery of ICT Equipment for CGHRMC and Its Support Units for FY 2024				
ITEMS  Lot 1 Supply and Delivery of ICT Equipm	Unit	Qty	Statement of Compliance (Please fill up each row with either: "Comply" or "Not Comply")	Brand Offered (Please indicate the brand to be offered)
CGHRMC			Materials for th	leadquarters
Laminating Machine Size: A4/A3 Entry Width: 230 mm Speed: 400mm/min Power:220-240VAC,60H With Jam Release function Quick Warm up time: 3-5 mins Best used with 80-125 micron films	unit	1		
Heavy Duty Automatic Paper Shredder	unit	1		

				<u> </u>
5G LTE Dual Band Router4 Drawer Vertical				
<ul> <li>RJ45 for Gigabits BaseT for WAN x</li> </ul>				
1, RJ45 for Gigabits BaseT for LAN				
x 4				
<ul> <li>Button:WPS Button, Reset Button,</li> </ul>				
Power Switch				
<ul> <li>Length 230mm; Width 134mm;</li> </ul>				
Height 56mm				
<ul> <li>Product net weight (kg): 0.374</li> </ul>	units	6		
<ul> <li>Wireless Network: Wifi 6 (802.11ax)</li> </ul>				
Antenna Type: External				
<ul> <li>Number of Antennas: 4</li> </ul>				
<ul> <li>Dimension (L x W x H): Length</li> </ul>				
230mm; Width 134mm; Height				
56mm				
<ul> <li>Modem Type: Cable, wireless</li> </ul>				
<ul> <li>Number of LAN Ports: 5</li> </ul>				
Rechargeable Digital Voice Recorder				
Clear Recording				
USB charge				
Portable				
Material: metal		_		
• Size: 95*24*10.5mm	units	4		
Recording format: WAV, mp3				
Storage: 32GB				
Transmission interface: USB 2.0				
Screen: LED				
Printer with Scanner				
All-in-One wireless Printer				
<ul> <li>(Print, Copy, Scan and Photocopier)</li> </ul>				
High Page Yield Ink Bottles				
Easy, Hassle-Free Ink Refilling				
USB 2.0 Connectivity				
Wireless LAN				
Inclusion:	units	15		
Main Unit				
Power Cord				
Print Heads				
Ink Bottles				
Manuals and Documents				
USB Cable				
Desktop Computers				
Processor: Core i5-12gen				
Mother Board: 12gen Board				
RAM: 32GB DDR4				
Hard Disk Drive: 1TB HDD and 512				
GB NVME M.2				
Monitor: 24 inches Wide Screen LED				
Wi-Fi Dongle: PCIE slot	units	15		
Keyboard and Mouse				
AVR (Automatic Voltage Regulator)				
Black				
Large Mousepad				
• speaker				
• Inclusions:				
			I	ı

\\\(\frac{1}{2}\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			
<ul><li>With Warranty</li><li>Genuine Operating System</li></ul>			
Uninterruptible Power Supply (UPS)			
<ul> <li>Model: 1500VA</li> <li>Input Voltage Range: 145-295VAC</li> <li>Input Frequency: 50 or 60 Hz (auto sensing)</li> <li>Output Voltage Range: 230VAC</li> <li>Output Frequency: 50 or 60 Hz</li> <li>Dimension(mm): D325*W139*H210</li> <li>Typical Recharge Time: 9-10hours</li> <li>Protection: Automatic self-test &amp; discharge protection, replace battery indicator</li> <li>Backup Time 6-30minutes (depending on computer load) Special Features</li> </ul>	units	6	
<ul> <li>Computer AVR <ul> <li>1500VA - Value Series - 80% Capacity - 1200W</li> <li>Input Voltage: 160VAC- 250VAC</li> </ul> </li> <li>4 Universal Sockets - 3 x 220V AC Outlet, 1 x 110V AC Outlet</li> <li>Short Circuit Protection</li> <li>Overload Protection</li> <li>Time Delay Function - With Turn On Delay Selector- Short: 6 Secs, Long: 180 Secs</li> <li>Analog Voltmeter &amp; Ammeter</li> <li>Best for TVs, Computers, Karaoke Players, Amplifiers, Refrigerat</li> </ul>	unit	1	
<ul> <li>DSLR Camera</li> <li>24.2MP DX-Format CMOS Sensor</li> <li>EXPEED 4 Image Processor</li> <li>No Optical Low-Pass Filter</li> <li>3.2" 1,037k-Dot Vari-Angle LCD Monitor</li> <li>Full HD 1080p Video Recording at 60 fps</li> <li>Multi-CAM 4800DX 39-Point AF Sensor</li> <li>Native ISO 12800, Extended to ISO 25600</li> <li>5 fps Shooting at Full Resolution</li> </ul>	unit	1	
<ul> <li>DSLR Tripod</li> <li>DSLR Stand European Quality</li> <li>Heavy Duty</li> <li>100% Original Live</li> </ul>	unit	1	

<b>B</b> 11			
Durable construction			
Metal base			
Height: 1080 to 1750mm			
Projector			
Remote control batteries: 2 AAA			
batteries			
Lens focus: auto focus			
Keystone correction: four-point			
keystone correction up, down, left and			
right ±45°			
Optical parameters: Display technology			
0.23"DMD   Light source technology			
LED   Standard resolution FULL HD			
(1080P)	unit	1	
Projection parameters: Zoom multiple	uiiit	•	
fixed focus			
Throw ratio (TR): 1.2			
<ul> <li>Projection screen size: 40"-200"</li> </ul>			
Recommended screen size: 60"-120"			
System parameters:			
<ul> <li>CPU: Amlogic T972-B</li> </ul>			
RAM: 2GB DDR3			
Built-in storage: 16GB eMMC  high speed flash memory			
high-speed flash memory  Mouse, Optical			
Type: Wired			
Ergonomic Design: Symmetric			
Sensor : Optical			
Resolution: 1200 DPI			
Buttons No.: 3			
Port: USB	pcs	2	
Cable Length: 150 cm			
<ul> <li>System Requirements: Windows XP/</li> </ul>			
Vista / 7 / 8 / 8.1 / 10			
Heavy Duty HDMI Cable			
Length: 10 Meters			
Color: Bluemesh			
Material: Pure Copper			
Male to Male Connector			
Transfers at speeds up to 10.2 Gbps	pcs	7	
<ul> <li>Supports 480i, 480p, 720p, 1080i,</li> </ul>			
1080p resolution			
<ul> <li>Gold plated 19 pin HDMI connectors;</li> </ul>			
oxygen-free copper cable			
onygon noo ooppor oabio			

PVC jacket with high visibility nylon				
braiding				
<ul> <li>HDCP compliant, Meets all HDMI standards</li> </ul>				
Document Scanner				
<ul> <li>A4 Compact Sheet-fed</li> </ul>				
<ul> <li>Optical Resolution: 600 x 600 dpi</li> </ul>				
<ul> <li>25ppm/50ipm scanner with 1-pass</li> </ul>				
duplex color scanning				
<ul> <li>ADF Capacity: 20 sheets</li> </ul>				
<ul> <li>Daily Scan: Up to 500 Sheets</li> </ul>	!4			
• USB 3.0	units	2		
Output Resolution: 50 – 1,200 dpi (in 1)				
dpi increments)				
Max Document Size: 216mm x 297 mm				
Gross Weight: 1.5kg				
Net Weight: 1.1kg  Mobile Phone				
MediaTek Helio G99 Processor				
6.78" FHD+ AMOLED 120Hz Display				
Main Camera 108MP+2MP+AI CAM				
QUAD FLASH LIGHT 2K 30 FPS				
Front Camera 50MP DUAL FLASH				
LIGHT				
5000mAh Battery				
Android 13	units	5		
<ul> <li>Network 2G / 3G / 4G /</li> </ul>				
<ul> <li>G-SENSOR / E-COMPASS/ L- SENSOR</li> </ul>				
PROXIMITY SENSOR/ FINGERPRINT				
/ SOFT-GYROSCOPE				
/ SOFT-GTROSCOPE				
Phone, Charger,Screen Film and				
Free Case				
Television		_		
	unit	1		
Name of Business Comples and Balinam	10			IDMC and Ita
Name of Project: Supply and Delivery Support Units for FY 2024	OT IC	Equi	pment for CGF	1RIVIC and Its
General Terms and Conditions				
Requirement/s if awarded the contract:				
Delivery Period and Completeness: Within Si	• , ,			
calendar days from the date of receipt by the wi supplier of the Notice to Proceed.	nning			
supplier of the Notice to Floceed.				
Delivery Site: Coast Guard Human Resource N	/lanager	ment		

Command, #56 M.L. Quezon St., Purok 1, New Lower Bicutan, Taguig City

Site Delivery Inspection (as Applicable): Coast Guard Human Resource Management Command, #56 M.L. Quezon St., Purok 1, New Lower Bicutan, Taguig City

**Defective items** duly identified during the delivery shall be replaced within three (3) calendar days from receipt of the Notice to Rectify coming from the end-user and/or Technical Inspection and Acceptance Committee (TIAC).

Warranty Period/Coverage of Warranty: Minimum of one (1) year upon acceptance/delivery principal place of business.

**Pre-Delivery Inspection:** To be checked by at least majority of the TIAC Members at the principal place of business.

Acceptance Parameters: The inspection and test shall be conducted at the Coast Guard Human Resource Management Command, #56 M.L. Quezon St., Purok 1, New Lower Bicutan, Taguig City by the end-user and the Technical Inspection and Acceptance Committee (TIAC).

Only items in conformity with the required quantity and technical specifications shall be accepted.

 Brochures or sample pictures of each item for preapproval of the TWG to comply with the acceptance parameters.

#### Post-qualification:

The Lowest Calculated Bidder/s shall likewise be requested to submit copies of the following for verification:

- Securities and Exchange Commission (SEC)
  Registration Certificate for corporations, partnerships
  and/or joint ventures, Department of Trade and
  Industry (DTI) Registration Certificate for sole
  proprietorship, or Cooperative Development Authority
  (CDA) Registration Certificate for cooperatives;
  Valid Mayor's or Business Permit issued by the city or
  municipality where the principal place of business of
  the prospective bidder is located, or the equivalent
  document for Exclusive Economic Zones or Areas.
- Valid Tax Clearance Certificate per Executive Order (E.O.) No. 398, series of 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR); AND

<ul> <li>Latest AFS stamped "received" by the BIR or its duly accredited and 39 authorized institutions, for the preceding calendar year. In case the AFS for the preceding calendar year is not yet available, said AFS should not be earlier than two (2) years from the deadline for the Submission and Receipt of Bids.</li> </ul>	
Performance Security  Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.	
Inspection and Tests  The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.	
All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.	

#### Notes:

- 1) No portion of the contract shall be sub-contracted;
- The Project shall be awarded by lot and shall have separate contracts for each lot.
   Price Quotation (unit and total prices) shall be rounded off up to two (2) decimal places

## II. FINANCIAL QUOTATION

Name of Project: Supply and Support Units for FY 2024	Delivery of	ICT Equi	pment for CGI	HRMC and Its
TECHNICAL SPECIFICATIONS AND/OR SCOPE OF WORK			BE OFFER/QU	EST JOTATION
Lot 1 Supply and Delivery of ICT	Qty  Tequipment au GHRMC for FY		Unit Cost (VAT Exclusive, Zero-Rated Transaction)  Materials for He	Total Cost (VAT Exclusive, Zero-Rated Transaction)
Laminating Machine Size: A4/A3 Entry Width: 230 mm Speed: 400mm/min Power:220-240VAC,60H With Jam Release function Quick Warm up time: 3-5 mins Best used with 80-125 micron films	unit	1		
Heavy Duty Automatic Paper Shredder	unit	1		
5G LTE Dual Band Router4  Drawer Vertical  ■ RJ45 for Gigabits BaseT for WAN x 1, RJ45 for Gigabits BaseT for LAN x 4  ■ Button:WPS Button, Reset Button, Power Switch  ■ Length 230mm; Width 134mm; Height 56mm  ■ Product net weight (kg): 0.374  ■ Wireless Network: Wifi 6	units	6		

(802.11ax)			
<ul> <li>Antenna Type: External</li> </ul>			
<ul> <li>Number of Antennas: 4</li> </ul>			
<ul> <li>Dimension (L x W x H):</li> </ul>			
Length 230mm; Width			
134mm; Height 56mm			
<ul> <li>Modem Type: Cable,</li> </ul>			
wireless			
Number of LAN Ports: 5			
Rechargeable Digital Voice			
Recorder			
Clear Recording			
USB charge			
Portable			
Material: metal			
0: 05+04+405	units	4	
D !! ( ( )A/A)/ 0			
<ul><li>Storage: 32GB</li><li>Transmission interface: USB</li></ul>			
2.0			
Screen: LED			
Printer with Scanner			
All-in-One wireless Printer			
• (Print, Copy, Scan and			
Photocopier)			
High Page Yield Ink Bottles			
• Easy, Hassle-Free Ink			
Refilling			
USB 2.0 Connectivity	units	15	
Wireless LAN	uc		
Inclusion:			
Main Unit			
<ul> <li>Power Cord</li> </ul>			
<ul> <li>Print Heads</li> </ul>			
<ul> <li>Ink Bottles</li> </ul>			
<ul> <li>Manuals and Documents</li> </ul>			
USB Cable			
Desktop Computers			
<ul> <li>Processor: Core i5-12gen</li> </ul>			
<ul><li>Mother Board: 12gen</li></ul>			
Board			
<ul> <li>RAM: 32GB DDR4</li> </ul>			
<ul> <li>Hard Disk Drive: 1TB</li> </ul>			
HDD and 512 GB NVME			
M.2			
<ul> <li>Monitor: 24 inches Wide</li> </ul>	units	15	
Screen LED	นเมเอ	13	
<ul> <li>Wi-Fi Dongle: PCIE slot</li> </ul>			
<ul> <li>Keyboard and Mouse</li> </ul>			
<ul> <li>AVR (Automatic Voltage</li> </ul>			
Regulator) Black			
Large Mousepad			
speaker			
<ul><li>Inclusions:</li></ul>			
	l	l	
<ul><li>With Warranty</li></ul>			

Genuine Operating System			
Containe Operating Cystem			
Uninterruptible Power Supply (UPS)  • Model: 1500VA  • Input Voltage Range: 145-295VAC  • Input Frequency: 50 or 60 Hz (auto sensing)  • Output Voltage Range: 230VAC  • Output Frequency: 50 or 60 Hz  • Dimension(mm): D325*W139*H210  • Typical Recharge Time: 9-10hours	units	6	
<ul> <li>Protection: Automatic self-test &amp; discharge protection, replace battery indicator</li> <li>Backup Time 6-30minutes (depending on computer load) Special Features</li> </ul>			
<ul> <li>Computer AVR <ul> <li>1500VA - Value Series - 80% Capacity - 1200W</li> <li>Input Voltage: 160VAC-250VAC</li> <li>4 Universal Sockets - 3 x 220V AC Outlet, 1 x 110V AC Outlet</li> <li>Short Circuit Protection</li> <li>Overload Protection</li> <li>Time Delay Function - With Turn On Delay Selector-Short: 6 Secs, Long: 180 Secs</li> <li>Analog Voltmeter &amp; Ammeter</li> <li>Best for TVs, Computers, Karaoke Players, Amplifiers, Refrigerat</li> </ul> </li> </ul>	unit	1	
DSLR Camera	unit	1	

<ul> <li>3.2" 1,037k-Dot Vari-Angle LCD Monitor</li> <li>Full HD 1080p Video Recording at 60 fps</li> <li>Multi-CAM 4800DX 39-Point AF Sensor</li> <li>Native ISO 12800, Extended to ISO 25600</li> <li>5 fps Shooting at Full Resolution</li> <li>DSLR Tripod</li> <li>DSLR Stand European Quality</li> <li>Heavy Duty</li> <li>100% Original Live</li> </ul>			
<ul> <li>Durable construction</li> <li>Metal base</li> </ul>	unit	1	
Height: 1080 to 1750mm			 
<ul> <li>Remote control batteries: 2 AAA batteries</li> <li>Lens focus: auto focus</li> <li>Keystone correction: four-point keystone correction up, down, left and right ±45°</li> <li>Optical parameters: Display technology 0.23"DMD   Light source technology LED   Standard resolution FULL HD (1080P)</li> <li>Projection parameters: Zoom multiple fixed focus</li> <li>Throw ratio (TR): 1.2</li> <li>Projection screen size: 40"- 200"</li> <li>Recommended screen size: 60"-120"</li> <li>System parameters:  CPU: Amlogic T972-B RAM: 2GB DDR3</li> <li>Built-in storage: 16GB eMMC high- speed flash memory</li> </ul>	unit	1	
Mouse, Optical	pcs	2	

			Γ	
Port: USB				
Cable Length: 150 cm				
System Requirements:				
Windows XP/ Vista / 7 / 8 / 8.1				
/ 10				
Heavy Duty HDMI Cable				
Length: 10 Meters				
Color: Bluemesh				
Material: Pure Copper				
Male to Male Connector				
<ul> <li>Transfers at speeds up to 10.2</li> </ul>				
Gbps				
• Supports 480i, 480p, 720p,	nee	7		
1080i, 1080p resolution	pcs	,		
Gold plated 19 pin HDMI				
connectors; oxygen-free				
copper cable				
PVC jacket with high visibility				
nylon braiding				
HDCP compliant, Meets all HDMI				
standards				
Document Scanner				
A4 Compact Sheet-fed     Ontired Base Intires 200 x 200				
Optical Resolution: 600 x 600 doi:				
<ul><li>dpi</li><li>25ppm/50ipm scanner with 1-</li></ul>				
pass duplex color scanning				
ADF Capacity: 20 sheets				
<ul> <li>Daily Scan: Up to 500 Sheets</li> </ul>		_		
• USB 3.0	units	2		
<ul> <li>Output Resolution: 50 – 1,200</li> </ul>				
dpi (in 1 dpi increments)				
Max Document Size: 216mm				
x 297 mm				
Gross Weight: 1.5kg				
Not Weight 1 1kg				
Net Weight: 1.1kg  Mobile Phone				
MediaTek Helio G99				
Processor				
• 6.78" FHD+ AMOLED 120Hz				
Display	units	5		
Main Camera				
108MP+2MP+AI CAM QUAD				
FLASH LIGHT 2K 30 FPS				

<ul> <li>Front Camera 50MP DUAL FLASH LIGHT</li> <li>5000mAh Battery</li> <li>Android 13</li> <li>Network 2G / 3G / 4G /</li> <li>G-SENSOR / E-COMPASS/L-SENSOR</li> <li>PROXIMITY SENSOR/FINGERPRINT / SOFT-GYROSCOPE</li> <li>Phone, Charger, Screen Film and Free Case</li> </ul>			
<ul> <li>Television</li> <li>55 inches 4k Google Smart TV</li> <li>Resolution:4K UHD</li> <li>TV Screen Size:55 Inches</li> <li>TV Screen Type:LED</li> <li>TV Type:Smart TV</li> <li>TV Features:DTS Audio, HDR, Netflix, Voice Control, Youtube</li> <li>Smart TV:Yes</li> <li>Smart TV OS:Google TV</li> <li>Warranty Type: Local Manufacturer Warranty</li> </ul>	unit	1	
, i	TOTAL	COST:	

**VALIDITY OF OFFER:** 

One hundred twenty (120) calendar days from the date of Submission, Receipt, Opening and Preliminary Examination of Best Offer/Quotation

FINANCIAL QUOTATION:							
Lot Nr.	DESCRIPTION	APPROVED BUDGET FOR THE CONTRACT	Your Total Offered Quotation				
1	Supply and Delivery of ICT Equipment and Other Materials for Headquarters CGHRMC for FY 2024	Nine Hundred Seventy-Three Thousand Five Hundred Forty Pesos (PhP 973,540.00)	In words and figures:				

Payment Details:	Payment shall be made through Land Bank's LDDAP-ADA/Bank Transfer facility after submission of billing statement/invoice and upon fulfillment of other obligations as stipulated in the contract as well as upon inspection and acceptance of the services by the end user.	
Banking Institution		

Account Number	
Account Name	
Branch	

For guidance and information of all concerned.

CG CAPT ARBIE T CASPILLO BAC Chairperson, CGHRMC